

MORI2A
NUVOLENTO
DÀ FORMA ALL'ACCIAIO



**CONTENITORI GASTRONORM
ACCIAIO NORMALE - FORATO
DOPPIO CORPO
POLICARBONATO
POLIPROPILENE
OPTIONALS**

**GASTRONORM CONTAINERS
STAINLESS STEEL - PERFORATED
DOUBLE BODY
POLYCARBONATE
POLYPROPYLENE
OPTIONALS**



COPERCHI INTERCAMBIABILI SU TUTTI I MODELLI E TUTTE LE MISURE

INTERCHANGEABLE LIDS ON ALL MODELS AND LINES





FORATE INCASSO

INSERT PERFORATED CONTAINERS

EN631

MOD.	COD.	H
MOD. 1/1 Esterno/outside 530x325 mm	BF111040	30 mm
	BF111065	55 mm
	BF111100	90 mm
	BF111150	140 mm
	BF111200	190 mm
MOD. 2/3 Esterno/outside 355x325 mm	BF123040	30 mm
	BF123065	55 mm
	BF123100	90 mm
	BF123150	140 mm
	BF123200	190 mm
MOD. 1/2 Esterno/outside 325x265 mm	BF112040	30 mm
	BF112065	55 mm
	BF112100	90 mm
	BF112150	140 mm
	BF112200	190 mm



DOPPIO CORPO

DOUBLE CONTAINERS

EN631

MOD.	COD.	H
MOD. 1/1	BA11100DC	100 mm
	BA11150DC	150 mm
	BA11200DC	200 mm
MOD. 2/3	BA23100DC	100 mm
	BA23150DC	150 mm
	BA23200DC	200 mm
MOD. 1/2	BA12100DC	100 mm
	BA12150DC	150 mm
	BA12200DC	200 mm

CARATTERISTICHE TECNICHE

TECHNICAL SPECIFICATIONS

• ACCIAIO E SPESSORI:

La serie Gastronorm é prodotta con acciaio **AISI 304**, chiamato anche **18/10**, negli spessori:

- 10/10 per i modelli 2/1
- 7/10 e 8/10 per i rimanenti modelli
- 12/10 per la versione rinforzata

• LUCIDATURA:

Le altezze **150** e **200** essendo sottoposte ad un trattamento di **normalizzazione** vengono lucidate con la tecnica della **burattatura**, della quale siamo stati i pionieri, oltre alla tecnica **elettrolitica** per gli articoli **di grandi dimensioni** come i modelli 2/1 e qualsiasi altro su richiesta.

Le altezze **100/65/40**/e **20** vengono prodotte con **acciaio BA** e sottoposte a trattamento chimico che ci permette di ottenere una lucidatura omogenea su tutta la superficie.

• CONFEZIONE:

Ogni singolo pezzo é sottoposto a **lavaggio speculare** e quindi viene confezionato in polipropilene.

• STAINLESS STEEL AND THICKNESS:

The complete Gastronorm range is manufactured with **AISI 304** stainless steel also known with the name **18/10**. Thicknesses are:

- 10/10 for models 2/1
- 7/10 and 8/10 for the outstanding models
- 12/10 for strenghtened models

• POLISHING:

Depthes **150** and **200**, being **normalized**, are polished with the **tumbling technic** - whose we are the pioneers - and with the **electrolytic technic**. The last one is used just for items of **big dimensions** as models 2/1 and any other on request.

Depthes **100/65/40**/and **20** are manufactured with **BA stainless steel** and polished with chemical treatment in order to get homogenous polishing all over the surface.

• PACKAGING:

Each item is **deeply washed** and packed with polypropylene film.



RICONOSCIMENTI
NAZIONALI ED INTERNAZIONALI
NATIONAL AND INTERNATIONAL
AWARDS

MORI 2A
NUVOLENTO
DÀ FORMA ALL'ACCIAIO

MORI 2A SRL
VIA PIEVE, 2 - 25080 NUVOLENTO (BS) - TEL. 0039 030 6897395 RA - FAX 0039 030 6897381
www.mori2a.com - info@mori2a.com