

MORI2A
NUVOLENTO
DÀ FORMA ALL'ACCIAIO



**CONTENITORI GASTRONORM
ACCIAIO NORMALE - FORATO
DOPPIO CORPO
POLICARBONATO
POLIPROPILENE
OPTIONALS**

**GASTRONORM CONTAINERS
STAINLESS STEEL - PERFORATED
DOUBLE BODY
POLYCARBONATE
POLYPROPYLENE
OPTIONALS**



COPERCHI INTERCAMBIABILI SU TUTTI I MODELLI E TUTTE LE MISURE

INTERCHANGEABLE LIDS ON ALL MODELS AND LINES





**TEGLIE BORDO PIANO
E CON BORDO NORMALE IN ACCIAIO**
*STAINLESS STEEL FLAT FLANGE AND BEARING
FLANGE CONTAINERS*

EN631

MOD.	COD.	H
MOD. 2/1 Esterno/outside 650x530 mm	BTI21020	20 mm
	BTI21040	40 mm
	BTI21065	65 mm
MOD. 1/1 Esterno/outside 530x325 mm	BTI11020	20 mm
	BTI11040	40 mm
	BTI11065	65 mm
MOD. 2/3 Esterno/outside 355x325 mm	BTI23020	20 mm
	BTI23040	40 mm
	BTI23065	65 mm
MOD. 1/2 Esterno/outside 325x265 mm	BTI21020	20 mm
	BTI21040	40 mm
	BTI21065	65 mm
MOD. 1/3 Esterno/outside 325x175 mm	BTI13020	20 mm
	BTI13040	40 mm
	BTI13065	65 mm



**TEGLIE IN ACCIAIO TEFLONATO
CON ANTIADERENTE**
*NON-STICK STAINLESS STEEL CONTAINERS
COATED WITH TEFLON*

EN631

MOD.	COD.	H
MOD. 1/1 Esterno/outside 530x325 mm	BTAC11020	20 mm
	BTAC11040	40 mm
	BTAC11065	65 mm
MOD. 2/3 Esterno/outside 355x325 mm	BTAC23020	20 mm
	BTAC23040	40 mm
	BTAC23065	65 mm
MOD. 1/2 Esterno/outside 325x265 mm	BTAC12020	20 mm
	BTAC12040	40 mm
	BTAC12065	65 mm



**TEGLIE IN ALLUMINIO TEFLONATO
CON ANTIADERENTE**
*NON-STICK ALUMINIUM CONTAINERS COATED
WITH TEFLON*

EN631

MOD.	COD.	H
MOD. 1/1 Esterno/outside 530x325 mm	BTAL11020	20 mm
	BTAL11040	40 mm
	BTAL11065	65 mm
MOD. 2/3 Esterno/outside 355x325 mm	BTAL23020	20 mm
	BTAL23040	40 mm
	BTAL23065	65 mm
MOD. 1/2 Esterno/outside 325x265 mm	BTAL12020	20 mm
	BTAL12040	40 mm
	BTAL12065	65 mm

CARATTERISTICHE TECNICHE

TECHNICAL SPECIFICATIONS

• ACCIAIO E SPESSORI:

La serie Gastronorm é prodotta con acciaio **AISI 304**, chiamato anche **18/10**, negli spessori:

- 10/10 per i modelli 2/1
- 7/10 e 8/10 per i rimanenti modelli
- 12/10 per la versione rinforzata

• LUCIDATURA:

Le altezze **150** e **200** essendo sottoposte ad un trattamento di **normalizzazione** vengono lucidate con la tecnica della **burattatura**, della quale siamo stati i pionieri, oltre alla tecnica **elettrolitica** per gli articoli **di grandi dimensioni** come i modelli 2/1 e qualsiasi altro su richiesta.

Le altezze **100/65/40**/e **20** vengono prodotte con **acciaio BA** e sottoposte a trattamento chimico che ci permette di ottenere una lucidatura omogenea su tutta la superficie.

• CONFEZIONE:

Ogni singolo pezzo é sottoposto a **lavaggio speculare** e quindi viene confezionato in polipropilene.

• STAINLESS STEEL AND THICKNESS:

The complete Gastronorm range is manufactured with **AISI 304** stainless steel also known with the name **18/10**. Thicknesses are:

- 10/10 for models 2/1
- 7/10 and 8/10 for the outstanding models
- 12/10 for strenghtened models

• POLISHING:

Depthes **150** and **200**, being **normalized**, are polished with the **tumbling technic** - whose we are the pioneers - and with the **electrolytic technic**. The last one is used just for items of **big dimensions** as models 2/1 and any other on request.

Depthes **100/65/40**/and **20** are manufactured with **BA stainless steel** and polished with chemical treatment in order to get homogenous polishing all over the surface.

• PACKAGING:

Each item is **deeply washed** and packed with polypropylene film.



RICONOSCIMENTI
NAZIONALI ED INTERNAZIONALI
NATIONAL AND INTERNATIONAL
AWARDS

MORI 2A
NUVOLENTO

DÀ FORMA ALL'ACCIAIO

MORI 2A SRL

VIA PIEVE, 2 - 25080 NUVOLENTO (BS) - TEL. 0039 030 6897395 RA - FAX 0039 030 6897381

www.mori2a.com - info@mori2a.com