

Wine Cabinet Key Features

Designed with industrial standard cooling system performance and contemporary design for reliability and stylish decor



01. Fitted with anti-condensation double glazed Argon gas glass door with aluminium alloy frame
02. Fully extendable pull-out type wooden wine rack to keep bottle canted at proper angle to keep corks moist and display wine in a decent way *
03. Diamond type wooden wine rack to maximise wine storage capacity
04. Bright low energy LED with on / off switch for excellent product display and easy customer selection
05. Excellent thermal efficiency, high density polyurethane insulation with Zero ODP (Ozone Depletion Potential) and Low GWP (Global Warming Potential)
06. Removable magnetic door gasket with air release points provides an excellent seal to prevent heat ingress
07. BC1W: 10Hmm levelling feet at front to ensure stability on an uneven floor and 15Hmm castors at rear
08. BC95W and BC200W: 10Hmm levelling feet to ensure stability on an uneven floor
09. Forced air refrigeration system ensures effective air circulation
10. Imported, durable and energy-efficient compressor
11. Evaporator with Hydrophilic coated aluminum provides high corrosion resistance properties
12. Accurate helium leak detection system ensures the quality of the entire refrigeration system
13. Automatic defrost ensures the evaporator working to its optimum performance
14. Automatically vaporises defrost water, drainage is not required
15. Designed and engineered to operate up to 32°C ambient
16. Environmental-friendly CFC-free refrigerant (R134a)
17. HACCP compliant

* Not applicable for BC200W

Wine Cabinet

Specification

- Black colour bond exterior and foodsafe 304 grade BA mirror stainless steel interior
 - Galvanised steel exterior back and base
 - Fitted with cylindrical lock
-

Options

1. 304 grade stainless steel exterior / back / base
2. Black colour bond exterior back
3. 220V / 60HZ / 1PH



Wine Cabinet Product List

BC1W-PR **BC1W-DR** **BC95W-PR**



BC95W-DR **BC200W-DR**



Wine Cabinet Technical Data

Model	BC1W-PR/ BC1W-PR-U	BC1W-DR/ BC1W-DR-U	BC95W-PR	BC95W-DR	BC200W-DR
Temp Range (°C)	+4 / +22	+4 / +22	+4 / +22	+4 / +22	+4 / +22
External Dimension (mm)					
Width	600		645		1290
Depth	530		635		
Height	895 800 (-U)		1770		
Internal Dimension (mm)					
Width	530		545		1190
Depth	378		510		
Height	745 650 (-U)		1554		
Thickness of black colour bond and 304 grade BA mirror stainless steel (mm)					
Exterior (black colour bond)			0.6		
Interior (BA mirror stainless steel)			0.7		
Opening Depth (mm)	1073		1254		
Capacity (cu.ft / litres)	5.3 / 152 4.5 / 130 (-U)		14.5 / 412		31.7 / 899
Capacity (bottles @ 750ml)	24 18 (-U)	25 20 (-U)	54	70	140
Power Supply	220V / 50HZ / 1PH				
	13 amp plug				
Power Input - Running (amps)	2			2.28	
Rating Power (watts) *	440			502	
Compressor (HP)	1/5			1/4	
Heat Rejection (watts) (Evaporating at -10°C in 32°C ambient)	287			485	
Refrigerant	R134a				
Standard fittings					
Wooden Wine Rack	4 3 (-U)	1	9	1	2

* 20% increase for 60HZ power supply

V4