Jade Preparation Key Features

Front-vented refrigeration counter design with raised pan holder for quick and easy food preparation



- Removable cassette type condensing unit and evaporator for easy servicing with zero down time
- O2. Unique airflow design with protective air curtain in raised pan holder to ensure food safety
- The working table top is sufficient for a 12" pizza dough
- O4. Excellent thermal efficiency, high density polyurethane insulation with Zero ODP (Ozone Depletion Potential) and Low GWP (Global Warming Potential)
- Adjustable racking system allows flexible storage
- Anti-condensation door mullion heaters
- 7. Removable anti-tilt trayslides to prevent tipping
- Self-closing doors minimise cool air loss and reduce energy consumption
- Over 90° door opening allows easy loading and stock checking
- 1 (). Removable balloon type magnetic door gasket with air release points provides an excellent seal to prevent heat ingress, easy replacement and avoiding dirt traps



- 11. 135Hmm heavy duty, non-marking swivel and braked castors for easy positioning
- 12. Forced air refrigeration system ensures effective air circulation
- 13. Imported, durable and energy-efficient compressor
- 14. Evaporator with Cataphoresis plated coils provides high corrosion resistance properties
- 15. Accurate helium leak detection system ensures the quality of the entire refrigeration system
- 16. Automatic defrost ensures the evaporator working to its optimum performance
- 17. Automatically vaporises defrost water, drainage is not required
- 18. Designed and engineered to operate up to 43°C ambient
- 19. Environmental-friendly CFC-free refrigerant (R134a)
- 2(). HACCP compliant



Jade Preparation

Specification

- Accommodates 2/1 GN size in under counter
- Accommodates 1/3 GN size (150mm depth) in raised pan holder
- Foodsafe 304 grade stainless steel exterior and interior
- Acrylic sliding cover for raised pan holder
- 1.2mm thick durable 304 grade stainless steel table top
- Galvanised steel exterior back and base
- Fitted with cylindrical lock for door(s)

Options

- 1. 304 grade stainless steel exterior back / base
- 2. Lock plate
- 3. Internal LED
- 4. Right-hand-side condensing unit
- 5. Adjustable legs in lieu of castors
- 6. Front/ side skirting for optional legs
- 7. Additional shelving / trayslides
- 8. 220V / 60HZ / 1PH



Product List

HJ2PCA(J)





Jade Preparation Technical Data

Model	HJ2PCA(J)
Temp Range (°C)	· · · · · · · · · · · · · · · · · · ·
Under counter	+1 / +4
Raised pan holder with cover	+4
External Dimension (mm)	
Width	1765
Depth	820
Height	1055
Internal Dimension (mm)	
Width	1250
Depth	698
Height	595
Thickness of 304 grade stainless steel (mm)	_
Exterior	0.7
Interior	0.6
Door	0.8
Opening Depth (mm)	1424
Capacity	
Under counter (cu.ft / litres)	26 / 737
Raised pan holder (1/3 GN pan)	9
Power Supply	220V / 50HZ / 1PH
	13 amp plug
Power Input - Running (amps)	3.5
Rating Power (watts) *	770
Compressor (HP)	1/2
Heat Rejection (watts) (Evaporating at -10°C in 32°C ambient)	950
Refrigerant	R134a
Standard fittings	
PE coated shelves	4
Trayslides (pair)	4
Acrylic cover	3
GN pan bridging bar	8

 $^{^{\}ast}\,20\%$ increase for 60HZ power supply

V3

